



3/4" (19 mm) Diameter Back-to-Back Ladder Handle

Product # 87H2R198ORB

Color/Finish Oil-Rubbed Bronze

Center to Center Drilling (Spacing) 8 in

Door Type Glass / Wood / Architectural

Glass Thickness 8 to 12 mm

Door Thickness 35 to 50 mm

Height 12 in

Material Stainless Steel 316

Packaging format Set

DESCRIPTION

Door Handle

This classic back-to-back ladder-style handle is designed for glass doors. With its modern and simple design, this handle easily fits into any décor. Easy to install, drill two 12mm holes in the door, then insert both sides of the handle and tighten with the Allen wrench. The handle is perfect for hinged, sliding, and shower doors.

TECHNICAL SPECIFICATIONS

Product #	87H2R198ORB
Diameter	19 mm
Projection	60 mm
Type	Round
Washers Diameter	25 mm
Usage	Shower Door, Sliding Door, Hinge Door
Milling Diameter	12 mm
Function	Back-to-Back Pull Handle
Screw/Nail	Included, M6

IMPORTANT INFORMATION

This illustration is provided for visual reference only. Actual product may vary. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. Always follow the instructions inside the package. Drawings and technical documents contain examples of hardware from different manufacturers. The customer may not in any case make a claim following the use of these documents. The Company disclaims any responsibility for the structural details related to a construction or project. Installation must always be done by qualified personnel. Make sure that the product is properly installed using suitable fixtures on the support material. Never exceed the maximum load or size recommended by the manufacturer. Never use a spray lubricant on this product. Clean with a soft cloth and soap that is ammonia-free and nonabrasive. Always use a dry cloth to remove debris, dust and

residues (sawdust and/or aluminum dust) from rails before installing hangers.

DISCLAIMER

The preceding information, as well as any technical recommendation given in writing or verbally, whether based on tests or not, is provided to the best of our knowledge. Recommendations are non-binding and do not diminish your responsibility for determining the correctness of these recommendations and the suitability of the product for your particular purpose. The application, use or processing of our products, as well as the execution of projects based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

PRODUCT PHOTOS

