



Zinc Plated Metal Screw, Flat Head, Quadrex Drive, Self-Tapping Thread, Type A point

Screw Size



Length

1/2 in	3/4 in	1 in	1 1/2 in	2 in
--------	--------	------	----------	------

Metal Screw Thread Count (PITCH/TPI)

11	12	18	6
----	----	----	---

Head Size

no. 10 no. 12 no. 6

Drive Size



Thread Count (Pitch/TPI)

11	12	18	6

Packaging format

Box of 3000	Box of 8000	Box of 12000	Box of 15000
-------------	-------------	--------------	--------------

DESCRIPTION

Zinc plated self-tapping screw

Note: FKAZ7112H5 has a no. 5 head



AVAILABLE PRODUCTS

Product #	Screw Size	Length	Metal Screw Thread Count (PITCH/TPI)	Head Size	Drive Size	Thread Count (Pitch/TPI)	Packaging format
FQAZ101	10	1 in	12	no. 10	#2 (Red)	12	Box of 8000
FQAZ102	10	2 in	12	no. 10	#2 (Red)	12	Box of 3000
FQAZ12112	12	1 1/2 in	11	no. 12	#3 (Black)	11	Box of 3000
FQAZ612	6	1/2 in	18	no. 6	#1 (Green)	18	Box of 15000
FQAZ634	6	3/4 in	6	no. 6	#1 (Green)	6	Box of 15000
FQAZ61	6	1 in	18	no. 6	#1 (Green)	18	Box of 12000

TECHNICAL SPECIFICATIONS

Drive required	Quadrex
Finish	Zinc
Head Type	Flat
Thread Type	Self-Tapping
Point Type	Туре А
Brand	Reliable
Threading	Full thread
Specific Application	Door and Window
Standards and Certifications	Not Certified
Material	Steel



PRODUCT PHOTOS

