



Back-to-Back Square Ladder Handle with Round Mounting Rods

Color/Finish

Stainless Steel

Brushed Nickel / Stainless Steel

Chrome / Polished Stainless Steel

Center to Center Drilling (Spacing)

12 in

36 in

48 in

Door Type

Glass

Glass / Wood / Architectural

Glass Thickness

10 to 12 mm

10 to 19 mm

Door Thickness

35 to 50 mm

Thickness

1 1/4 in

32 mm

Height

24 in

48 in

60 in

Width

1 1/4 in

32 mm

Projection

81 mm

3.22 in

Material

Stainless Steel 304

Stainless Steel 316

Washers Diameter

32 mm

Milling Diameter

16 mm

0.63 in

Screw/Nail

Included / 5/16 in - 18

Included / M6

Packaging format

Box

Per unit

DESCRIPTION

1" (25 mm) round mounting rods

Ladder type, square tube handle with round mounting rods designed to attach to glass doors.

ADVANTAGES AND BENEFITS

- Suitable for both glass and wood doors. - Designed for indoor use.

AVAILABLE PRODUCTS

Product #	Color/Finish	Center to Center Drilling (Spacing)	Door Type	Glass Thickness	Door Thickness	Thickness	Height	Width	Projection	Material	Washers Diameter	Milling Diameter	Screw/Nail	Packaging format
701SQ32R24170	Stainless Steel	12 in	Glass / Wood / Architectural	10 to 12 mm	35 to 50 mm	1 1/4 in	24 in	1 1/4 in	3.22 in	Stainless Steel 316	32 mm	0.63 in	Included / M6	Box
701SQ32R48170	Stainless Steel	36 in	Glass / Wood / Architectural	10 to 12 mm	35 to 50 mm	1 1/4 in	48 in	1 1/4 in	3.22 in	Stainless Steel 316	32 mm	0.63 in	Included / M6	Box
701SQ32R60170	Stainless Steel	48 in	Glass / Wood / Architectural	10 to 12 mm	35 to 50 mm	1 1/4 in	60 in	1 1/4 in	3.22 in	Stainless Steel 316	32 mm	0.63 in	Included / M6	Box
TDHDSR48L170	Brushed Nickel / Stainless Steel	36 in	Glass	10 to 19 mm		32 mm	48 in	32 mm	81 mm	Stainless Steel 304		16 mm	Included / 5/16 in - 18	Per unit
701SQ32R60171	Chrome / Polished Stainless Steel	48 in	Glass / Wood / Architectural	10 to 12 mm	35 to 50 mm	1 1/4 in	60 in	1 1/4 in	3.22 in	Stainless Steel 316	32 mm	0.63 in	Included / M6	Box

TECHNICAL SPECIFICATIONS

Type	Square
Usage	Sliding Door, Hinge Door, Commercial Door
Function	Back-to-Back Pull Handle

APPLICATION

- Suitable for all commercial projects, such as office buildings and shopping centers - The glass must be perforated for installation.

IMPORTANT INFORMATION

The image is provided for visual reference purposes only. The product may differ from the illustration. Make sure to order the hardware before starting any manufacturing or assembly work. Always follow the instructions provided inside the packaging as the manufacturer reserves the right to modify any product or information without notice. All drawings and technical documents show mounting examples that use hardware from different manufacturers. The customer can in no case make a claim as a result of the use of these documents. The company assumes no liability for structural details related to any construction or project. Always entrust the work to qualified personnel. Always make sure to attach the product to a suitable material. Never exceed the maximum load or dimensions recommended by the manufacturer. Never spray lubricant on these products.

INCLUDED PRODUCT(S)

The set includes two 90 mm (3-9/16") long hex head screws for 45 mm to 50 mm (1-3/4" to 2") thick doors, as well as a hexagonal key #3 and #5.

DISCLAIMER

The above information, as well as any written or verbal technical advice, based on tests or not, is provided to the best of our knowledge. These tips are not binding, and it is your responsibility to personally verify their accuracy. It is also your responsibility to check the suitability of the product for the intended purpose. The application, use and processing of our products, as well as projects carried out following our technical advice, are beyond our control and are your sole responsibility. The sale of our products is subject to the general conditions of sale and delivery in force. Please note that Richelieu will refuse any return or claim for an unpackaged product.

PRODUCT PHOTOS

