



## **Deluxe D Shape Profile Shower Header Kit**

#### **Glass Thickness**

6 mm 10 to 12 mm

### **Finish**

| Bright   | Brushed | Matte Black | Matte Oiled | Satin Brass |
|----------|---------|-------------|-------------|-------------|
| Polished | Nickel  |             | Bronze      |             |
| Chrome   |         |             |             |             |

## Height

| 22 mm | 31.8 mm |
|-------|---------|
|       |         |

#### Width

| 24 mm | 25.4 mm |
|-------|---------|
|-------|---------|

## Length

| 66 in 98 in 144 in |
|--------------------|
|--------------------|

#### **Packaging format**

| Box | Set |
|-----|-----|
| Box | Set |
|     |     |

#### **DESCRIPTION**

#### Holds fixed panels in place

This luxury header set provides additional support for glass panels that don't reach the ceiling.

Allows to create a custom-made shower adapted to the surrounding space.

#### **ADVANTAGES AND BENEFITS**

The aluminum extrusion can be cut to the desired length and angle. Prevents an accumulation of dirt and water in the inferior part of the headrail. Facilitates an installation closer to the wall, with the help of the bracket supports which free up the entire interior portion of the headrail. Suitable for several glass thicknesses.



#### **AVAILABLE PRODUCTS**

| Product #  | Glass Thickness | Finish                 | Height  | Width   | Length | Packaging format |
|------------|-----------------|------------------------|---------|---------|--------|------------------|
| SDH6066195 | 6 mm            | Brushed Nickel         | 22 mm   | 24 mm   | 66 in  | Set              |
| SDH066CH   | 10 to 12 mm     | Bright Polished Chrome | 31.8 mm | 25.4 mm | 66 in  | Set              |
| SDH098CH   | 10 to 12 mm     | Bright Polished Chrome | 31.8 mm | 25.4 mm | 98 in  | Set              |
| SDH0144140 | 10 to 12 mm     | Bright Polished Chrome | 31.8 mm | 25.4 mm | 144 in | Set              |
| SDH066BN   | 10 to 12 mm     | Brushed Nickel         | 31.8 mm | 25.4 mm | 66 in  | Set              |
| SDH098BN   | 10 to 12 mm     | Brushed Nickel         | 31.8 mm | 25.4 mm | 98 in  | Set              |
| SDH098MB   | 10 to 12 mm     | Matte Black            | 31.8 mm | 25.4 mm | 98 in  | Set              |
| SDH098ORB  | 10 to 12 mm     | Matte Oiled Bronze     | 31.8 mm | 25.4 mm | 98 in  | Set              |
| SDH098SB   | 10 to 12 mm     | Satin Brass            | 31.8 mm | 25.4 mm | 98 in  | Box              |

#### TECHNICAL SPECIFICATIONS

| Application | Corner Shower, Neo-Angle Shower, Door, Door and Panel |  |
|-------------|---|--|
| Brand       | Riveo   |  |
| Material    | Anodized Aluminum                                     |  |

#### **APPLICATION**

Suitable for residential and commercial projects, including for bathrooms, showers, offices, hotels, laboratories, hospitals and clinics.

## **INCLUDED PRODUCT(S)**

This set includes one top header, one 36" (914 mm) snap-in filler insert, one wall mount bracket kit (including a pair of brackets, screws and anchors) and one length of clear glazing vinyl for the glass. \* The base, faucets and glass are not included.

#### IMPORTANT INFORMATION

For safety purposes, use tempered glass. The glass must be shaped according to the section plane provided in the box. The use of power tools during installation may damage the hinges and decorative hardware. Maintenance: clean with a soft cloth and soap that is ammonia-free and nonabrasive. This illustration is provided for visual reference only. Actual product may vary. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. Always follow the instructions inside the package. Drawings and technical documents contain examples of hardware from different manufacturers. The customer may not in any case make a claim following the use of these documents. The Company disclaims any responsibility for the structural details related to a construction or project. Installation must always be done by qualified personnel. Make sure that the product is properly installed using suitable fixtures on the support material. Never exceed the maximum load or size recommended by the manufacturer. Never use a spray lubricant on this product. Designed and developed to meet industry norms and safety code requirements. Before installing, always consult a licensed engineer to ensure your installation meets the local building codes.

#### **DISCLAIMER**

The preceding information as well as any technical recommendation given in writing or verbally, whether based on tests or not, is provided to the best of our knowledge. These recommendations are non-binding and do not diminish your responsibility for determining their correctness, as well as the suitability of the product for your particular purpose. The application, use or processing of our products, as well as the execution of projects based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.



# PRODUCT PHOTOS



