



# 1" (25 mm) Diameter Offset Round Tubular Handle with Decorative Ring with Rounded Corners

**Color/Finish** 



# **Center to Center Drilling (Spacing)**



# **Glass Thickness**

#### Door Type



#### Height



#### Width



#### Projection



#### Material



#### **Milling Diameter**

12 mm 16 mr
-------------



#### **Door Thickness**

35 to 50 mm

# **AVAILABLE PRODUCTS**

Product #	Color/Finish	Center to Center Drilling (Spacing)	Glass Thickness	Door Type	Height	Width	Projection	Material	Milling Diameter	Door Thickness
872RO2510304900	Matte Black	10 in	8 to 12 mm	Glass / Wood / Architectural	11 in	120 mm	75 mm	Stainless Steel 304	12 mm	35 to 50 mm
872RO2512304900	Matte Black	12 in	8 to 12 mm	Glass / Wood / Architectural	13 in	120 mm	75 mm	Stainless Steel 304	12 mm	35 to 50 mm
872RO2510304170	Brushed Nickel / Stainless Steel	10 in	8 to 12 mm	Glass / Wood / Architectural	11 in	120 mm	75 mm	Stainless Steel 304	12 mm	35 to 50 mm
872RO2512304170	Brushed Nickel / Stainless Steel	12 in	8 to 12 mm	Glass / Wood / Architectural	13 in	120 mm	75 mm	Stainless Steel 304	12 mm	35 to 50 mm
872RO2510304171	Chrome / Polished Stainless Steel	10 in	8 to 12 mm	Glass / Wood / Architectural	11 in	120 mm	75 mm	Stainless Steel 304	12 mm	35 to 50 mm
872RO2512304171	Chrome / Polished Stainless Steel	12 in	8 to 12 mm	Glass / Wood / Architectural	13 in	120 mm	75 mm	Stainless Steel 304	12 mm	35 to 50 mm
TDHDO12C171	Chrome / Polished Stainless Steel	12 in	10 to 12 mm	Glass	13 in	76 mm	76 mm	Stainless Steel	16 mm	

# **TECHNICAL SPECIFICATIONS**

Diameter	25 mm			
Usage	Hinge Door			
Function	Back-to-Back Pull Handle, Offset Pull Handle			
Туре	Round			
Washers Diameter	32 mm			
Screw/Nail	Included, 5/16 in - 18			

# INCLUDED PRODUCT(S)

- Complete with matching finish metal washers and through-bolts for mounting.



# PRODUCT PHOTOS



