



Dow Corning® Tub, Tile & Ceramic Silicone Sealant

Finish/Color



DESCRIPTION

For kitchen and bathroom applications

Dow Corning® Tub, Tile & Ceramic Silicone Sealant is a one-part acetoxycure silicone sealant for non-porous surface applications requiring a sealant that is mildew-resistant when cured.

- Cures to 100% silicone rubber
- Fast cure, high strength
- Clear, white, translucent white and almond colors meet the requirements of FDA Regulation No. 21CFR 177.2600

Store below 90°F (32°C) in a dry place. Dow Corning Tub, Tile & Ceramic Silicone Sealant has a usable life of 30 months from date of manufacture. Refer to product packaging for use-by date. To store short term, replace cap. To store long term, unscrew nozzle, screw cap in cartridge and store nozzle in cap.

Dow Corning Tub, Tile & Ceramic Silicone Sealant meets the requirements of: - FDA Regulation No. 21 CFR 177.2600 (standard colors only; custom colors do not comply).

ADVANTAGES AND BENEFITS

- Cured sealant is mildew resistant. - Remains flexible; will not become brittle, crack, shrink or chalk. - Bonds to many common kitchen and bath substrates. - Supplied in removable, reusable, resealable nozzle that saves time and sealant.

AVAILABLE PRODUCTS

Product #	Finish/Color
SA1731	Clear Transparent
SA1725	Translucent
SA1730	White



TECHNICAL SPECIFICATIONS

Brand	Dow Corning
Optimal Adherence to	Vinyl, Glass, Tile, Plastic, Ceramic
Tooling Time	5 to 10 minutes
Skin Formation Over Time/Dry to the Touch	15 to 20 minutes
Volume	305 ml
Base	100% RTV Silicone, Acetoxy Silicone
VOC Concentration (EPA Method 24)	33 grams per liter
Features	Heavy-Duty, Water Resistant, Fast Cure, Good Cold Flexibility, No Shrinkage, Superior Bond
Recommended Use	Bathroom / Kitchen, Counter, Glass
Packaging Specifications	Plastic Cartridge

APPLICATION

- As an adhesive, sealant or grout for repairing or replacing ceramic tiles. - Tub and shower enclosures. - Forming watertight seals around bathtubs, shower enclosures, sinks, vanities, countertops, lavatories, faucets, saunas, hot tubs, plumbing fixtures, drains, piping, shower doors and floor seams.

INCLUDED PRODUCT(S)

Dow Corning Tub, Tile & Ceramic Silicone Sealant is supplied in a 10.3-fl oz (305-mL) cartridge with a 3-piece reusable, removable and resealable nozzle.

IMPORTANT INFORMATION

Product safety information required for safe use is not included in this document. Before handling, read product and material safety data sheets and container labels for safe use, physical and health hazard information.



PRODUCT PHOTOS

