



## Adjustable Angle Elbow from 0° to 90°

### Recommended Location Usage

Interior

Interior /  
Exterior

### Material



Stainless  
Steel 304



Stainless  
Steel 316

### Handrail Size

ø 38.1 mm (1  
1/2")

ø 50.8 mm  
(2")

### Baluster Post Size

ø 38.1 mm (1  
1/2")

ø 50.8 mm  
(2")

### Curvature angle

+90° to -90°

90°

### Thickness

1.5 mm

2 mm

## DESCRIPTION

### Adjustable flush connector, for 0° to 90° angles

Articulated connector designed to customize round handrails

## ADVANTAGES AND BENEFITS

Easy to use - insert and glue the fitting inside each end of the round tubes Articulated elbow for easier adjustment of the angle of the round handrail. Allows for angle adjustment from 0° to 90°.

## AVAILABLE PRODUCTS

Product #	Recommended Location Usage	Material	Handrail Size	Baluster Post Size	Curvature angle	Thickness
<b>SSEB8050304S</b>	Interior	Stainless Steel 304	ø 50.8 mm (2")	ø 50.8 mm (2")	90°	1.5 mm
<b>SSEB8050304170</b>	Interior	Stainless Steel 304	ø 50.8 mm (2")	ø 50.8 mm (2")	90°	1.5 mm
<b>HR18620738170</b>	Interior / Exterior	Stainless Steel 316	ø 38.1 mm (1 1/2")	ø 38.1 mm (1 1/2")	+90° to -90°	2 mm
<b>SSEB8040316S</b>	Interior / Exterior	Stainless Steel 316	ø 38.1 mm (1 1/2")	ø 38.1 mm (1 1/2")	90°	1.5 mm
<b>SSEB8040316170</b>	Interior / Exterior	Stainless Steel 316	ø 38.1 mm (1 1/2")	ø 38.1 mm (1 1/2")	90°	1.5 mm

## TECHNICAL SPECIFICATIONS

<b>Handrail Type</b>	Round Tubing
<b>Finish</b>	Stainless Steel
<b>Category</b>	Connectors
<b>Baluster Post Type</b>	Round Tube

## APPLICATION

Connects two round tubes creating the corner fitting for a handrail. Ideal for architectural projects such as staircases and railings in glass, cable or rod. A strand of glue during assembly makes it possible to solidify and to better secure the connection between the components.

## IMPORTANT INFORMATION

This illustration is provided for visual reference only. Actual product may vary. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. Always follow the instructions inside the package. Drawings and technical documents contain examples of hardware from different manufacturers. The customer may not in any case make a claim following the use of these documents. The Company disclaims any responsibility for the structural details related to a construction or project. Installation must always be done by qualified personnel. Make sure that the product is properly installed using suitable fixtures on the support material. Never exceed the maximum load or size recommended by the manufacturer.

## DISCLAIMER

The preceding information as well as any technical recommendation given in writing, verbally or based on tests is provided to the best of our knowledge. However, recommendations are non-binding and do not diminish your responsibility for determining the correctness of these recommendations and the suitability of the product for your particular purpose. The application, use or processing of our products as well as the production of products based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

## PRODUCT PHOTOS

