



Round Wall Mounted Fixed Bracket

Handrail Type

Flat Tubing

Round Tubing

Recommended Location Usage

Interior

Interior /
Exterior

Projection

57 mm

74 mm

Material



Stainless
Steel 304



Stainless
Steel 316

Handrail Size

40 mm x 40
mm (1 9/16" x
1 9/16")

ø 38.1 mm (1
1/2")

ø 42.4 mm (1
27/32")

DESCRIPTION

For standard space

With its simple design, this stainless steel inline bracket is ideal for all your handrail and staircase projects. Designed to support round or flat handrails off the wall. With its single mounting point, installation is quick and easy.

ADVANTAGES AND BENEFITS

This system installs on site with no welding required -- simply drill, glue and tap the pieces into place. The prefabricated, pre-finished tubing is designed to fit perfectly with other components. Available in type 304 and 316 stainless steel for either interior or exterior installation.

AVAILABLE PRODUCTS

Product #	Handrail Type	Recommended Location Usage	Projection	Material	Handrail Size
HR1847880075170	Flat Tubing	Interior	74 mm	Stainless Steel 304	40 mm x 40 mm (1 9/16" x 1 9/16")
HR1867880075170	Flat Tubing	Interior / Exterior	74 mm	Stainless Steel 316	40 mm x 40 mm (1 9/16" x 1 9/16")
HR1847884275170	Round Tubing	Interior	74 mm	Stainless Steel 304	ø 42.4 mm (1 27/32")
HR1867883857170	Round Tubing	Interior / Exterior	57 mm	Stainless Steel 316	ø 38.1 mm (1 1/2")

TECHNICAL SPECIFICATIONS

Type of Mounting	Wall Mount
Adjustment	Fixed Position
Finish	Stainless Steel
Height	50 mm
Glass Drilling	Not Required
Category	Brackets
Thread Type	M8

INCLUDED PRODUCT(S)

Includes finishing wall plate for easy installation. Mounting and assembly screws not included.

IMPORTANT INFORMATION

This illustration is provided for visual reference only. Actual product may vary. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. Always follow the instructions inside the package. Drawings and technical documents contain examples of hardware from different manufacturers. The customer may not in any case make a claim following the use of these documents. The Company disclaims any responsibility for the structural details related to a construction or project. Installation must always be done by qualified personnel. Make sure that the product is properly installed in the support material using proper fixtures. Never exceed the maximum load or size recommended by the manufacturer. Never use a spray lubricant on this product.

APPLICATION

- For bracket installation: hanger bolt M8 x 12.7 mm (1/2"), 3-5/32" in length (HR93010088014) - For a handrail tubing: #8 x 25 mm (1") pan head (PKTS81VP)

DISCLAIMER

The preceding information as well as any technical recommendation given in writing, verbally or based on tests is provided to the best of our knowledge. However, recommendations are non-binding and do not diminish your responsibility for determining the correctness of these recommendations and the suitability of the product for your particular purpose. The application, use or processing of our products as well as the production of products based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

PRODUCT PHOTOS

