



## Lever Trim 236/336 Series

#### Function



# age Storeroom

### **Color/Finish**



### DESCRIPTION

Rosette diameter of 3-1/8"

#### AVAILABLE PRODUCTS

Product #	Function	Color/Finish
T3L53DB	Entrance	Dark Bronze
T3L53AL	Entrance	Satin Aluminum
T3L10DB	Passage	Dark Bronze
T3L10AL	Passage	Satin Aluminum
T3L80DB	Storeroom	Dark Bronze
T3L80AL	Storeroom	Satin Aluminum



## **TECHNICAL SPECIFICATIONS**

Door Thickness	1 3/8 to 1 3/4 in
Grade	2
Standards and Certifications	UL, ADA
Backset	2 3/4 in
Handing Position / Opening Side	Reversible for Left or Right
Finish Warranty	5 Years
Mechanical Warranty	10 Years
Mounting Hardware	Included
Mounting Height	40 5/16 in
Dogging	1/4 in
Latchbolt Throw	3/4 in
Deadbolt Throw	1/2 in
Projection	2 1/2 in
Door Width Requirements	36 in

#### **IMPORTANT INFORMATION**

DEFINITIONS Passage: Used on doors that don't require a locking mechanism. Entrance: Typically used on exterior doors which can be locked/unlocked. Storeroom: Used when the outside lever needs to be locked at all times. The door can only be opened from the outside using a key. There is no lock/unlock on the inside of the door.

#### **PRODUCT PHOTOS**



