



Round Handrail Tubing

Finish







Recommended Location Usage

Interior

Interior / Exterior

Thickness

1.5 mm

2 mm

Length

2.4 m

5 m

19 ft

Material





Handrail Size

ø 38.1 mm (1 1/2") ø 42.4 mm (1 27/32") ø 50.8 mm (2")

Baluster Post Size

ø 38.1 mm (1 1/2") ø 42.4 mm (1 27/32") ø 50.8 mm (2")

Packaging format

Per unit

Length of 2.4 linear meter

Length of 5 linear meter

DESCRIPTION



In stainless steel

These round tubes are suitable for several applications. The different lengths and diameters available fit a wide selection of projects.

AVAILABLE PRODUCTS

Product #	Finish	Recommended Location Usage	Thickness	Length	Material	Handrail Size	Baluster Post Size	Packaging format
SST1662304B	Satin Black	Interior / Exterior	2 mm	19 ft	Stainless Steel 304	ø 42.4 mm (1 27/32")	ø 42.4 mm (1 27/32")	Per unit
SST11215304	Satin Stainless Steel	Interior	1.5 mm	19 ft	Stainless Steel 304	ø 38.1 mm (1 1/2")	ø 38.1 mm (1 1/2")	Per unit
SST215304	Satin Stainless Steel	Interior	1.5 mm	19 ft	Stainless Steel 304	ø 50.8 mm (2")	ø 50.8 mm (2")	Per unit
SST11215316	Satin Stainless Steel	Interior / Exterior	1.5 mm	19 ft	Stainless Steel 316	ø 38.1 mm (1 1/2")	ø 38.1 mm (1 1/2")	Per unit
SST1662316	Satin Stainless Steel	Interior / Exterior	2 mm	19 ft	Stainless Steel 316	ø 42.4 mm (1 27/32")	ø 42.4 mm (1 27/32")	Per unit
HR184500224170	Stainless Steel	Interior	2 mm	2.4 m	Stainless Steel 304	ø 50.8 mm (2")	ø 50.8 mm (2")	Length of 2.4 linear meter
HR184500250170	Stainless Steel	Interior	2 mm	5 m	Stainless Steel 304	ø 50.8 mm (2")	ø 50.8 mm (2")	Length of 5 linear meter
HR186500250170	Stainless Steel	Interior / Exterior	2 mm	5 m	Stainless Steel 316	ø 50.8 mm (2")	ø 50.8 mm (2")	Length of 5 linear meter

TECHNICAL SPECIFICATIONS

Handrail Type	Round Tubing				
Category	Tubing				
Baluster Post Type	Round Tube				

APPLICATION

Can be used as a handrail for balustrades and staircases, as a balustrade post for railings or as a foot-rest for bar counters.

IMPORTANT INFORMATION

This illustration is provided for visual reference only. Actual product may differ from the illustration. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. Always use the instructions inside the package. The customer may in no case make a claim following the use of these documents. The Company disclaims any responsibility for the structural details related to a construction or project. Installation must be done by qualified personnel. Always make sure that the product is properly installed using suitable fixings to the support material.



DISCLAIMER

The preceding information as well as any technical recommendation given in writing, verbally or based on tests is provided to the best of our knowledge. However, recommendations are non-binding and do not diminish your responsibility for determining the correctness of these recommendations and the suitability of the product for your particular purpose. The application, use or processing of our products as well as the production of products based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

PRODUCT PHOTOS

