





3/4" (19 mm) Diameter Back-to-Back Ladder Handle

Color/Finish



Center to Center Drilling (Spacing)

6 in

8 in

10 in

12 in

24 in

Door Type

Glass

Glass / Wood
/ Architectural

Glass Thickness

6 to 12 mm

8 to 12 mm

Door Thickness

35 to 50 mm

Height

10 in

12 in

14 in

16 in

28 in

Material

Stainless Steel 304

Stainless Steel 316

Packaging format

Per unit

Set

DESCRIPTION

Door Handle

This classic back-to-back ladder-style handle is designed for glass doors. With its modern and simple design, this handle easily fits into any décor. Easy to install, drill

two 12mm holes in the door, then insert both sides of the handle and tighten with the Allen wrench. The handle is perfect for hinged, sliding, and shower doors.

AVAILABLE PRODUCTS

| Product # | Color/Finish | Center to Center Drilling (Spacing) | Door Type | Glass Thickness | Door Thickness | Height | Material | Packaging format |
|------------------------|-----------------------------------|-------------------------------------|------------------------------|-----------------|----------------|--------|---------------------|------------------|
| 87H2R196900 | Matte Black | 6 in | Glass / Wood / Architectural | 8 to 12 mm | 35 to 50 mm | 10 in | Stainless Steel 316 | Set |
| 87H2R198900 | Matte Black | 8 in | Glass / Wood / Architectural | 8 to 12 mm | 35 to 50 mm | 12 in | Stainless Steel 316 | Set |
| 87H2R1001912900 | Matte Black | 12 in | Glass / Wood / Architectural | 8 to 12 mm | 35 to 50 mm | 16 in | Stainless Steel 316 | Set |
| 87H2R1001924900 | Matte Black | 24 in | Glass / Wood / Architectural | 8 to 12 mm | 35 to 50 mm | 28 in | Stainless Steel 316 | Set |
| 87H2R198ORB | Oil-Rubbed Bronze | 8 in | Glass / Wood / Architectural | 8 to 12 mm | 35 to 50 mm | 12 in | Stainless Steel 316 | Set |
| 87H2R196160 | Satin Brass | 6 in | Glass | 6 to 12 mm | 35 to 50 mm | 10 in | Stainless Steel 316 | Set |
| 87H2R198160 | Satin Brass | 8 in | Glass | 6 to 12 mm | 35 to 50 mm | 12 in | Stainless Steel 316 | Per unit |
| 87H2R196170 | Brushed Nickel / Stainless Steel | 6 in | Glass | 6 to 12 mm | | 10 in | Stainless Steel 316 | Set |
| 87H2R198170 | Brushed Nickel / Stainless Steel | 8 in | Glass | 6 to 12 mm | | 12 in | Stainless Steel 316 | Set |
| 87H2R1001910170 | Brushed Nickel / Stainless Steel | 10 in | Glass | 6 to 12 mm | | 14 in | Stainless Steel 304 | Set |
| 87H2R196171 | Chrome / Polished Stainless Steel | 6 in | Glass | 6 to 12 mm | | 10 in | Stainless Steel 316 | Set |
| 87H2R198171 | Chrome / Polished Stainless Steel | 8 in | Glass | 6 to 12 mm | | 12 in | Stainless Steel 316 | Set |
| 87H2R1001910171 | Chrome / Polished Stainless Steel | 10 in | Glass | 6 to 12 mm | | 14 in | Stainless Steel 304 | Set |
| 87H2R1001924171 | Chrome / Polished Stainless Steel | 24 in | Glass | 6 to 12 mm | | 28 in | Stainless Steel 304 | Set |

TECHNICAL SPECIFICATIONS

| | |
|-------------------------|---------------------------------------|
| Diameter | 19 mm |
| Projection | 60 mm |
| Type | Round |
| Washers Diameter | 25 mm |
| Usage | Shower Door, Sliding Door, Hinge Door |
| Milling Diameter | 12 mm |
| Function | Back-to-Back Pull Handle |
| Screw/Nail | Included, M6 |

IMPORTANT INFORMATION

This illustration is provided for visual reference only. Actual product may vary. Order hardware before starting the job. The manufacturer reserves the right to change product and information without notice. Always follow the instructions inside the package. Drawings and technical documents contain examples of hardware from different manufacturers. The customer may not in any case make a claim following the use of these documents. The Company disclaims any responsibility for the structural details related to a construction or project. Installation must always be done by qualified personnel. Make sure that the product is properly installed using suitable fixtures on the support material. Never exceed the maximum load or size recommended by the manufacturer. Never use a spray lubricant on this product. Clean with a soft cloth and soap that is ammonia-free and nonabrasive. Always use a dry cloth to remove debris, dust and residues (sawdust and/or aluminum dust) from rails before installing hangers.

DISCLAIMER

The preceding information, as well as any technical recommendation given in writing or verbally, whether based on tests or not, is provided to the best of our knowledge. Recommendations are non-binding and do not diminish your responsibility for determining the correctness of these recommendations and the suitability of the product for your particular purpose. The application, use or processing of our products, as well as the execution of projects based on our technical recommendations are beyond our control and therefore exclusively your responsibility. Sales of our products are subject to our most recent General Sales and Delivery Conditions. Please note that Richelieu will not accept any returns or claims for unpackaged products.

PRODUCT PHOTOS

