



TILT-LOCK(TM) M3 Series Base Shoe Kits - With Cladding

Type of Mounting

Face Mount

Floor Mount

Finish







Length

10 ft

20 ft

DESCRIPTION

Perfect alignment every time

A simple shoe system that allows you to easily tilt glass to the correct alignment in its mount.

Available in top-mount and side-mount models.

Sold in complete, ready-to-install kits with your choice of cladding and stabilizing washers included.

ADVANTAGES AND BENEFITS

- Allows for glass to be tilted 2° backward or forward - All adjustments can be achieved from one side - Faster and easier installation - Patented rotation pressure plate system

AVAILABLE PRODUCTS

Product #	Type of Mounting	Finish	Length
SSSM3SIDE10B	Face Mount	Black Anodized Aluminum	10 ft
SSSM3SIDE10A	Face Mount	Clear Anodized Aluminum	10 ft
SSSM3SHOE10B	Floor Mount	Black Anodized Aluminum	10 ft
SSSM3SHOE10A	Floor Mount	Clear Anodized Aluminum	10 ft
SSSM3SHOE20A	Floor Mount	Clear Anodized Aluminum	20 ft
SSSM3SHOE10S	Floor Mount	Satin Stainless Steel	10 ft
SSSM3SHOE20S	Floor Mount	Satin Stainless Steel	20 ft



TECHNICAL SPECIFICATIONS

Safety Glass Thickness	12 to 12.76 mm	
Material	Anodized Aluminum 6063-T6	
Glass Drilling	Not Required	
Category	Base Shoes	

APPLICATION

- Fully engineered for the National Building Code of Canada - Tested up to 3 kN

INCLUDED PRODUCT(S)

- Base shoe - Cladding - Glass grips - End caps - Joining pins - Glass spacers - Stabilizing washers

IMPORTANT INFORMATION

The TILT-LOCK(TM) base shoe and mechanisms are sold as a system and are subject to one or more of the following patents: - Canadian Patent Application No. 2,962,407 - US Patent Application No. 15/024,903 - New Zealand Patent No. 700501 European, UK, Australian, Chinese Patents Pending



PRODUCT PHOTOS





